



## BEARING Driveshaft do Brasil



NU304 Bearing 2D drawings and 3D CAD models

0.787 Inch | 20 Millimeter x 2.047 Inch | 52  
Millimeter x 0.591 Inch | 15 Millimeter 134.32.900  
Slewing Bearing 736x1064x182mm

Bearing No. NU304

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight	0.154
EAN	4991893397819
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	20MM Bore; Straight Bore Profile; 52MM Outside Diameter; 15MM Width;



## BEARING Driveshaft do Brasil

	Steel Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inter
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Manufacturer Item Number	NU304
Weight / LBS	0.34
d	0.787 Inch   20 Millimeter
B	0.591 Inch   15 Millimeter
D	2.047 Inch   52 Millimeter
Enclosure	Open
Bore Type	Cylindrical Bore
Configuration	Single Row
Weight	0.154 kg
Bore Size	20 mm
Fillet Radius/Chamfer	1.1 mm
r1	0.6 mm
Dynamic Load Rating	21,400 N
Static Load Rating	17,300 N
Limiting Speed - Grease	12,000 rpm
Limiting Speed - Oil	15,000 rpm
Radial Clearance	0.020 to 0.045 mm
db (min)	25 mm
db (max)	27 mm
dc (min)	30 mm
dd (min)	33 mm
Da (max)	45 mm
ra (max)	1 mm



## BEARING Driveshaft do Brasil

ra1 (max)

0.6 mm