




BEARING Driveshaft do Brasil



40 mm x 62 mm x 22 mm 90-200411/0-07012
 Four-point Contact Ball Slewing Bearing
 304x518x56mm

Bearing No. NA4908

NA4908 Bearing 2D drawings and 3D CAD models

Size	40x62x22 mm
Bore Diameter	40 mm
Outer Diameter	62 mm
Width	22 mm
d	40 mm
D	62 mm
B	22 mm
F	48 mm
r_{\min}	0,6 mm
s	1 mm / Axial displacement
m	230 g / Weight
C_r	48500 N / Dynamic load rating (radial)
C_{0r}	67000 N / Static load rating (radial)
C_{ur}	11500 N / Fatigue limit load, radial
n_G	9200 1/min / Limiting speed
n_B	5300 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.23



BEARING Driveshaft do Brasil

EAN	4012802272604
Product Group	B04270
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	40MM Bore; 62MM Outside Diameter; 22MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NA4908



BEARING Driveshaft do Brasil

Weight / LBS	0.507
Width	0.866 Inch 22 Millimeter
Bore	1.575 Inch 40 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter