




BEARING Driveshaft do Brasil

4 mm x 16 mm x 5 mm 23130C Spherical Roller Bearing 150x250x80mm



Bearing No. 634ZZ

634ZZ Bearing 2D drawings and 3D CAD models

Size	4x16x5 mm
Bore Diameter	4 mm
Outer Diameter	16 mm
Width	5 mm
d	4 mm
D	16 mm
B	5 mm
C	5 mm
r min.	0,3 mm
da min.	6 mm
da max	7,6 mm
Da max.	14 mm
ra max.	0,3 mm
Basic dynamic load rating (C)	1,76 kN
Basic static load rating (C0)	0,68 kN
(Grease) Lubrication Speed	37 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.009
EAN	4547359011494
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0



BEARING Driveshaft do Brasil

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	4MM Bore; 16MM Outside Diameter; 5MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.snrbearings.com
Manufacturer Item Number	634.ZZ
Weight / LBS	0.011
Outside Diameter	0.63 Inch 16 Millimeter
Outer Race Width	0.197 Inch 5 Millimeter
Bore	0.157 Inch 4 Millimeter
Other Features	Deep Groove Shell Alvania Prelubricated
Inner Race Width	0 Inch 0 Millimeter
bore diameter:	4 mm
precision rating:	ISO Class 0
outside diameter:	16 mm
finish/coating:	Uncoated
overall width:	5 mm



BEARING Driveshaft do Brasil

bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	5 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	5 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	37000 rpm
internal clearance:	CN
fillet radius:	0.3 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	44000 RPM
dynamic load capacity:	1760 N
series:	Micro
static load capacity:	680 N
manufacturer product page:	Click here